

Research Article

Improved Execution in Modern Analytical Techniques

A. A. Baravkar*¹, P. A. Jadhav¹, M. V. Shende¹, N. S. Choudyal¹, N. B. Aher²

¹Agricultural Development Trust's Shardabai Pawar Institute of Pharmaceutical Sciences & Research, Baramati India, 413115

²Ashvin College of Pharmacy, Sangamner, India

Abstract:

New insightful apparatuses are prompting an emotional speed up and scale with which investigation can be performed, and a lot more noteworthy joining with business process. They settle on it conceivable to settle on logical choices in close constant, which frequently yields benefits as far as expanded transformations, upgraded tasks, or different outcomes.

Over the previous many years, the advancement of drugs has acquired upset human wellbeing. These drugs would serve their expectation provided that they are unadulterated and intense enough to fix an illness and are directed in a fitting sum. Experts in all sciences base significant choices, take care of issues, and advance their fields utilizing instrumental estimations. As an outcome, all researchers are committed to having a basic comprehension of instruments and their applications to unhesitatingly and precisely address their necessities. Instrumental techniques for the compound examination have turned into the chief method for acquiring data in different spaces of science and innovation. The speed, high affectability, low constraint of identification, synchronous location abilities, and robotized activity of current instruments, when contrasted with old-style strategies for investigation, have made this transcendence.

This article features the job of the insightful instrumentation and their modernization of the logical techniques in evaluating the nature of the medications. The article features an assortment of insightful methods, for example, titrimetric, chromatographic, and spectroscopic, and their modernization over years that have been applied in the investigation of drugs.

Keywords: Analytical Techniques, HPLC, HPTLC, Modernization, FDA

Introduction

The Food and Drug Administration (FDA) has expressed that over the existing pattern of a medication item, new advancements could give new data that would warrant an option scientific strategy. Hence, the FAD is empowering associations to intermittently assess the logical strategies supporting medication items to evaluate whether it's a good idea to change more established scientific techniques over to more present-day ones.[1] Perhaps the least complex method of modernizing a strategy with possibly no revalidation is to update the technique by furnishing a correlation actually with logical writing. In any case, if that update includes changing the significant part like sort of the section or the actual procedure, there are several focuses to be thought of.[2] In this article, the attention will be on how we can modernize our techniques to guarantee the strategies produce exact, exact, and reproducible outcomes without adding an expense factor however assisting with decreasing the expense which is incorporated into the item costs.

Some major analytical techniques and how they have arisen or created to guarantee the modernization of a procedure is inescapable are talked about in additional areas.

Titrimetric Techniques

The beginning of the titrimetric technique for investigation returns to someplace in the eighteenth century. It was the extended time of 1855 when Gay-Lussac created the volumetric strategy which in this way prompts the beginning of term titration.[3,4] Albeit the measurement strategy is exceptionally old yet there are indications of some modernization i.e., spreading of non-fluid titration technique, growing the field of use of titrimetric strategies to (extremely) feeble acids and bases just as potentiometric endpoint discovery working on the accuracy of the techniques.[5,6] With the improvement of practical gathering examination techniques, titrimetric strategies have been demonstrated to be gainful in motor estimations which are thus applied to build up response rates. There are many benefits related to these techniques which incorporate saving time and work, high accuracy, and the way that there is no need of utilizing reference principles.[7,8] These titrimetric strategies have developed from the procedure point as well as according to the instrumentation perspective. The instruments have been modernized to have better affectability, less difficult activity, and higher usefulness. The titration instrument has now been combined with automated arms to have different titrations to be performed unattended. Higher affectability has assisted with guaranteeing your less example utilization.

The main thing currently is information security and consistency in direction.[4,9,10]

Spectroscopic Methods

A spectroscopic strategy is by and large straightforward and simpler to deal with and gives exact outcomes. A regular UV technique would utilize a UV spectrophotometer with its extras. A regular UV spectrophotometric technique utilizes a standard size cuvette of 1 cm way length. To meet the fundamental prerequisites of the Beers-Lambert law the insightful fixations depend on.[11,13] In this, to accomplish the particular retention, a higher concentrated example should be ready. Then again, if the example has higher UV absorbance, in such case, different weakening or lower test focuses are thought of. These can prompt blunders and can go amiss from the real outcomes. The expense of dissolvable is additionally a piece of by and large logical expense.[14,15]

At the point when we are talking about modernizing the logical strategies, our center ought to be without losing the precision and reproducibility of the procedure and having the current strategy modernized. This can be accomplished by a portion of the accompanying suggestions:[16-18]

- Using a lower way length cell where the UV engrossing properties of the medication are higher. For a lower you see in drugs higher way length cells can be utilized.[19]
- Using a lower way length cell can assist with a diminishing weakening in example readiness.
- Using estimation tests for less with regards to tests or tests hard to deal with.
- Using on the web UV instruments for disintegration testing of tablets.[20]

Near-Infrared Spectroscopy (NIRS)

Close to Infrared Spectroscopy (NIRS) is a quick and non-damaging method that gives a multi-part examination of practically any framework. Lately, NIR spectroscopy has acquired a wide appreciation inside the drug business for unrefined substance testing, item quality control, and interaction checking.[21-23] The developing drug interest in NIR spectroscopy is because of its significant benefits over other scientific methods, to be specific, a simple example arrangement with no pre-medicines, the likelihood of isolating the example estimation position by utilization of fiber optic tests, and the assumption for synthetic and actual example boundaries from one single range.[24-26]

The significant Pharmacopoeias have commonly embraced NIR procedures. The European Pharmacopeia in part 2.2.40 (The European Pharmacopeia and Council of Europe, 2002) and United States Pharmacopoeias (section 1119 United States Pharmacopeia USP 26 NF 21, 2003) address the appropriateness of NIR instrumentation for application in drug testing. NIR spectroscopy in blend with multivariate information investigation opens many intriguing discernments with regards to drug examination, both subjectively and quantitatively.[27-30]

Chromatographic Techniques

Partition sciences have been assuming an imperative part of the drug business. It very well might be in the union of medication or testing of a medication item for its immaculateness and power.[31]

Thin Layer Chromatography

Albeit an old strategy, yet it discovers a great deal of utilization in the field of drug examination. In flimsy layer chromatography (TLC), a strong stage, the adsorbent, is covered onto a strong help as a slim layer generally on a glass, plastic, or aluminum support. A few elements decide the effectiveness of this kind of chromatographic partition. First, the adsorbent should show the limit specifically as towards the substances been isolated to the dissimilarities in the pace of joy be enormous. For the detachment of some random blend, some adsorbent might be too firmly adsorbing or too week by week adsorbing.[32-34]

Slender layer chromatography is a famous method for the investigation of a wide assortment of natural and inorganic materials, on account of its unmistakable benefits, for example, negligible example tidies up, the wide decision of versatile stages, adaptability in example qualification, high example stacking limit and minimal expense. Tender loving care is an incredible asset for screening obscure materials in mass medications. It gives a moderately serious level of declaration that all plausible parts of the medication are isolated. The high particularity of TLC has been taken advantage to the quantitative scientific reason utilizing spot elution followed by spectrophotometric estimation. Attention assumes an urgent part in the beginning phase of the medication advancement when data about the debasements and corruption items in drug substance and medication item is insufficient. Different debasements of drugs have been not settled utilizing TLC.[35,36]

On the modernization front, the TLC method has developed or has been modernized to spread the range as far as application. Invert Phase Chromatography (RPC) is a procedure utilizing alkyl binds covalently attached to the fixed stage particles to make a hydrophobic fixed stage, which has a more grounded fondness for hydrophobic or less polar mixtures. The utilization of a hydrophobic fixed stage is the opposite of typical stage chromatography since the extremity of the versatile and fixed stage have been upset – subsequently, the term switched stage chromatography.[37,38]

Invert stage chromatography utilizes a polar (fluid) versatile stage. Thus, hydrophobic particles in the polar versatile stage will in general adsorb to the hydrophobic fixed stage and hydrophilic atoms in the portable stage will go through the section and are

eluted first. Hydrophobic atoms can be eluted from the segment by diminishing the extremity of the portable stage utilizing a natural (non-polar) dissolvable, which lessens hydrophobic connections. The more hydrophobic the particle, the more emphatically it will tie to the fixed stage and the higher the centralization of the natural dissolvable that will be needed to elute the atom.[39,40]

Large numbers of the numerical and trial contemplations utilized in another chromatography strategy are additionally applied to RPC (for instance, the detachment goal is subject to the length of the segment). It very well may be utilized for the partition of a wide assortment of particles. Today, RPC is a now and again utilized insightful procedure. There is an assortment of fixed stages accessible for use in RPC permitting extraordinary adaptability in the advancement of detachment strategies.[41]

High-Performance Thin Layer Chromatography (HPTLC)

With the headway of the procedure, High-Performance Thin Layer Chromatography (HPTLC) arose as a significant instrument in a drug investigation. HPTLC is a quick partition procedure and adequately adaptable to break down a wide assortment of tests. This strategy is profitable in many methods as it is easy to deal with and requires a short investigation time to examine the complicated or the unrefined example tidy up. HPTLC assesses the whole chromatogram with an assortment of boundaries without time limits. Besides, there is a synchronous however free improvement of various examples and principles on each plate, prompting an expanded unwavering quality of results.

High-Performance Liquid Chromatography (HPLC)

Superior Liquid Chromatography (HPLC) has been the main strategy in the drug business. The instrument and procedures have been utilized for testing various drug dose structures. HPLC strategies have been created and are been utilized over years to guarantee higher efficiency and benefit without losing their exactness, accuracy, and reproducibility.[42]

1. Using more limited length sections
2. Using Green solvents for accomplishing division of parts.
3. Using a half and half sort of sections.
4. Using lower molecule size segments.
5. Using diverse science segments.
6. Using more limited slope programs - investigating the distinctive gradient bends instead of adhering to direct angle bends.
7. Using basic and quicker derivatizing specialists to improve UV assimilation of a medication moiety.
8. Using Ultra-High-Performance Liquid Chromatography instruments - adding to lesser dissolvable utilization, short investigation time, and eco-accommodating.

HPLC is a progressive type of fluid chromatography utilized in a partition of the intricate combination of particles experienced in the compound and organic frameworks, to all the more likely perceive the job of singular atoms. It was in the year 1980, HPLC techniques showed up interestingly for the measure of mass medication materials (United States Pharmacopeia, 1980).[43]

The explicitness of the HPLC technique is magnificent and at the same time, adequate accuracy is additionally achievable. Notwithstanding, it should be expressed that this explicitness, accuracy, and exactness are achievable provided that a wide-going framework appropriateness tests are completed before the HPLC examination. Therefore, the cost to be paid for high explicitness, accuracy, and exactness is likewise high.[44,45]

During the study of the writing, it was seen that among the chromatographic strategies, HPLC has been the most broadly utilized framework. In fluid chromatography the decision of discovery approach is basic to ensure that every one of the parts is recognized one of the generally utilized identifiers in HPLC is UV indicator which can screen a few frequencies simultaneously; this is conceivable simply by applying various frequency examining programs. If present in sufficient amount, the UV locator guarantees all the UV-engrossing parts are distinguished.[46]

A photodiode exhibit (PDA) is a lined cluster of discrete photodiodes on an Integrated Circuit (IC) chip for spectroscopy. It is set at the picture plane of a spectrometer to permit a scope of frequencies to be detected simultaneously. At the point when a variable frequency locator (VWD) is utilized, an example should be infused on various occasions, with evolving frequencies, to be certain that every one of the pics is recognized. On account of PDA, when it is utilized, at a frequency reach can be modified and every one of the mixtures that retain inside this reach can be recognized in a solitary investigation. PDA recognizes can likewise break down top virtue by coordinating spectra inside a pinnacle.[47]

The refractive list finder is the locator of decision when one necessity to identify analytes with confined or no UV ingestion like alcohols, sugars, carbs, unsaturated fats, and polymers. Nice follow identification execution is gotten through a low clamor. This indicator has the most minimal affectability among all finders yet is appropriate at high analyte fixations. The electrochemical indicator reacts to the substances that are either oxidizable or reducible and the electrical yields result from an electron stream set off by the compound response that happens at the outer layer of the anode. Perhaps the most delicate identifier among the LC detector is the fluorescence indicator. Ordinarily, its affectability is 10-1000 times higher than that of UV finder for solid UV retaining materials utilized as a benefit in the estimation of explicit fluorescence species in examples.[48]

Over a specific period, most chromatographers utilized at the opposite stage mode with UV absorbance identification any place fitting, since this gave the best accessible dependability, examination time, repeatability, and affectability. A few medications have been measured in drug details and organic liquids utilizing HPLC. Consequently, HPLC offers significant assistance in responding to many inquiries presented by the drug business. Be that as it may, the regions of HPLC incorporate the cost of segments, dissolvable, and the absence of long-haul reproducibility because of the exclusive idea of section pressing. Fluid chromatography joined with mass spectrometry (LC-MS) is considered one of the main procedures of the last decade of the twentieth century. It turned into the strategy for decision for scientific help in many phases of value control and affirmation inside the drug business. As of late HPLC-MS has been utilized for the test of the medications. Notwithstanding its application in breaking down the medications, HPLC alone and with joint procedures have been applied to dissect the pollutants of the drug and corrupt items.[49]

Gas Chromatography

Pushing forward with another chromatographic method, gas chromatography is an amazing partition procedure for the identification of unpredictable natural mixtures. Consolidating partition and online location permits precise quantitative assurance of intricate combinations, including hints of mixtures down to parts per trillion in some particular cases. Gas chromatography orders a significant job in the examination of drug items. The making of high-atomic mass items like polypeptides, or thermally shaky anti-microbials limits the extent of this method.[50,51]

Hyphenated Techniques

The coupling of a detachment procedure and the online partition method prompts the improvement of joined strategies. The most recent twenty years saw a surprising headway in joined methods and their application in drug examination. An assortment of joined procedures, for example, LC-MS, GC-MS, LC-NMR, CE-ICP-MS, and CE-MS have been applied in the investigation of drugs.[52,53] The assurance of the medications in natural materials is a significant stage in drug revelation and medication advancement. HPLC along with different sorts of locations like bright, fluorescence, and mass spectrometry has turned into the strategy for decision for bio-insightful technique advancement. HPLC with UV or MS/MS recognition is introduced for the investigation of dynamic fixings in natural examples and drug details.[54-62]

The Modernization ERA

Change while terrifying is needed. Openings for expanded effectiveness, higher benefit, and the capacity for an association to keep an upper hand require the requirement for change. Accurately embracing innovation can be extremely difficult, nonetheless, when done effectively, current innovation can enable insightful research centers to work on strategy move across a variety of scientific stages at every one of its offices.

New scientific devices are prompting an emotional speed up and ability with which examination can be performed and a lot more prominent combination with business processes. They settle on it conceivable to settle on logical choices in close ongoing, which regularly yields benefits in the details of expanded discussion, streamlined tasks, or different outcomes. The insightful techniques can be modernized by thinking about the above viewpoints. The main highlight is considered during the modernization of a strategy is to guarantee its reasonableness. Supporting in a Generic medication Industry has become extremely challenging lately because of the value war and meeting the necessities by the diverse administrative offices. In such time the consumption on the examination has assumed a significant and vital part.

For the modernization of scientific strategy understanding, the necessities are useful for the examiner to foster the better, appropriate, simple, and exact technique. Some critical components to be thought of while creating or upgrading the ability of logical techniques include:

- Proper assortment of logical, business, legislative, and specialized writing giving significant data that speeds the advancement of a strategy and works on the general nature of its outcome. 'A day spent in the library is superior to tussle for a month in the lab'.
- Method demonstrating and plan
- Data refinement and factual treatment.
- Cost powerful and reasonable saving money on schedule by speed up and scale.
- Understanding of basic interaction boundaries in the scientific technique and limiting their effect on exactness and accuracy,

Bringing the Change

In this article, the attention will be on how we can modernize our techniques to guarantee the strategies produce exact, exact, and reproducible outcomes without adding an expense factor however assisting with decreasing the expense which is incorporated into the item costs.

As anticipated in 1985, the present instruments are more modest, all the more exceptionally computerized, quicker, and offer a lot of essentially further developed exhibition qualities contrasted with their archetypes. Further advances will proceed with these

patterns in various regions. These include:

Improved execution

Customarily in scientific science, better comprehension of these study of estimations prompts enhancements in their affectability, selectivity, use of instrumentation to complex example networks, and inventive arrangements of instruments. A considerable lot of these advancements are driven by the requirements of remarkable issues, like the investigation of the elements of synthetic responses or the planning of little inhomogeneities in the surface arrangement of a polymer. Unquestionably, test microscopy instruments that picture three-dimensional miniature and nano-scale surface and subsurface will keep on advancing.

Miniaturized Instruments

One of the significant patterns in the cutting-edge instrumental advancement is to make more modest, powerful, and minimal expense entomb instruments. Improvements in light sources (diode lasers), polymeric materials, optics, miniature electrical mechanical frameworks (MEMF), hardware, and miniature manufacture advances have affected instrument plans. Research center instruments involve a lot more modest impression than their archetypes. Little compact instruments and sensors with few or no moving parts permit the instrument to go to the example in areas like profound, seas conditions, instead of carrying the example to the lab for investigation. Miniature absolute investigation frameworks or 'lab on a chip' instrument are likewise being applied to many fascinating insightful issues. In the micro absolute investigation framework, a whole instrument including gadgets and force source fit into space frequently the size of a mobile phone. The 'working finish' of the instrument is made on a postage stamp estimated polymeric plate, where the example, reagent arrangements, a detachment gadget that utilizes chromatographic or hair-like electrophoretic standards, and a finder is completely found.

Remote and Process Analysis

Observing synthetic cycles in unforgiving conditions at high temperatures and for various assembling processes is a growing region in the instrumental examination. For instance, the drug business utilizes instruments that can screen blending, drying, and tableting processes continuously, taking into consideration better quality control. Constant improvement of all the more impressive techniques for these applications can be anticipated.

Computers

PCs are presently necessary parts of pretty much every instrument, where they can handle estimation boundaries just as assortment, handling, stockpiling, and show of information. Equal and multiplexing information permits a synchronous, ongoing assortment of data on various analytes. Frameworks which coordinate the arrangement and test presentation with estimations are currently normal and will turn out to be wiser, later on, expanding the usefulness and diminishing administrator intercession. Master frameworks utilized for information translation and advances in remote correspondence will likewise affect future instrumental techniques.

Conflict Of Interest: Nil

Conclusion

Instrumental techniques for investigation have turned into the overwhelming methodology for performing synthetic estimations. It is basic for researchers who depend on these integral assets to comprehend the essentials and uses of insightful instruments. Notwithstanding, an aptitude with substance instruments isn't completely adequate in keenly tackling issues. The exact and proper instrumental estimations of a wrong or unessential example got from an ineffectively planned technique won't tackle the expected issue. At the end of the day, the instrument and investigators are just pretty much as great as the example introduced for examination. To give brings about a legitimate matter, an examiner should comprehend the job an instrument plays in a strategy, making specific the suitable example is introduced to the instrument and applying a procedure that is satisfactory for the ideal reply.

An assortment of instrumental methods is accessible for the application to compound issues. They are regularly utilized exclusively and inhabits where at least two methods are joined usefully, making joined procedures. As a rule, these instrumental strategies work by changing over data in non-electrical space into the electrical area, where the data can be changed into significant data, then, at that point, changed over into a structure that is significant to the examiner. The way wherein each instrument achieves this differs, driven by the idea of the communication of the test with the substance property of examiners, however for the most part the general pathway of the progression of data is comparative from one instrument to another.

At long last, albeit large numbers of the instruments that will be planned and utilized in the future might be more modest and more mechanized, it is helpful to recollect that the major standards on which they are based still include those introduced in this article. Subsequently, a strong comprehension of essential instrumental estimation processes gives a decent establishment expected to adjust to these quick changes.

References

1. Ventola CL. Direct-to-Consumer Pharmaceutical Advertising-Therapeutic or Toxic? *Pharmacol Ther.* 2011; 36(10):669-74.
2. Rahman A, Ozkan SA. *Recent Advances in Analytical Techniques.* Vol. 3. Bentham Science Publishers, 2019.
3. Miro M, Worsfold P, Poole C, Townshend A. *Encyclopedia of Analytical Science.* Vol. 1. Elsevier, 2019.
4. Siddiqui MR, AlOthman ZA, Rahman N. Analytical Techniques in Pharmaceutical Analysis: A Review. *Arabian Journal of Chemistry.* 2017; 10:S1409–21.
5. Ahuja S, Scypinski S. *Handbook of Modern Pharmaceutical Analysis.* Vol. 3. Academic Press, A Harcourt Science and Technology Company, 2001.
6. Van der Schoot B, Van der Wal P, De Rooij N, West S. Titration-On-A-Chip, Chemical Sensor–Actuator Systems from Idea to Commercial Product. *Sensors and Actuators B: Chemical.* 2005; 105(1):88–95.
7. Koh HL, Yau WP, Ong PS, Hegde A. Current Trends in Modern Pharmaceutical Analysis For Drug Discovery. *Drug Discovery Today.* 2003; 8(19):889–97.
8. Nagajyothi S., Swetha Y, Neeharika J, Sures PV, Ramarao N. Hyphenated Techniques- A Comprehensive Review. *Int J Adv Eng Res Dev.* 2017; 2(4):63-71.
9. Tivert AM, Vessman J. *Pharmaceutical Analysis: Overview.* Elsevier, 2005.
10. Hulanicki A, Zurawska MM, Glab S. *Titrimetry: Potentiometry.* Elsevier, 2013.
11. Weckhuysen BM. *Ultraviolet-Visible Spectroscopy.* American Scientific Publishers, 2004.
12. Atole DM, Rajput HH. Ultraviolet Spectroscopy and Its Pharmaceutical Applications- A Brief Review. *Asian J Pharm Clin Res.* 2018; 11(2):59.
13. Tissue BM. *Ultraviolet and Visible Absorption Spectroscopy.* John Wiley & Sons, 2002.
14. Passos MLC, Sarraguça MC, Saraiva MLMFS, Prasada RT, Biju VM. *Organic Compounds.* Elsevier; 2018.
15. Reule AG. Errors in Spectrophotometry and Calibration Procedures to Avoid Them. *J Res Natl Bur Stand A Phys Chem.* 1976; 80A(4):609–624.
16. Oliver TAA. *Recent Advances in Multidimensional Ultrafast Spectroscopy.* *R Soc open sci.* 2018; 5(1):171425.
17. Keiichiro F. *Recent Advances in Analytical Spectroscopy.* Elsevier; 1982.
18. Wang L, Pang S, Zhou G. *Recent Advances in Spectroscopy Technology for Trace Analysis of Persistent Organic Pollutants.* *Appl Sci.* 2019; 9(17):3439.
19. Akbarzadeh A, Sadabady RR, Davaran S, Joo SW, Zarghami N, Hanifehpour Y, Samiei M, Kouhi M, Koshki KN. Liposome: classification, Preparation, and Applications. *Nanoscale Res Lett.* 2013; 8(1):102.
20. Zarnpi P, Flanagan T, Meehan E, Mann J, Fotaki N. Surface Dissolution UV Imaging for Characterization of Superdisintegrants and Their Impact on Drug Dissolution. *Int J Pharm.* 2020; 577:119080.
21. Pellicer A, Bravo M, del C. Near-Infrared Spectroscopy: A Methodology-Focused Review. *Semi Fetal and Neonatal Med.* 2011; 16(1):42–9.
22. Pasquini C. Near-Infrared Spectroscopy: A Mature Analytical Technique with New Perspectives – A Review. *Analytica Chimica Acta.* 2018; 1026: 8–36.
23. Prieto N, Pawluczyk O, Dugan MER, Aalhus JL. A Review of The Principles and Applications of Near-Infrared Spectroscopy to Characterize Meat, Fat, and Meat Products. *Appl Spectrosc.* 2017; 71(7):1403–26.
24. Li S, Lafon O, Wang W, Wang Q, Wang X, Li Y, et al. Recent Advances of Solid-State NMR Spectroscopy for Microporous Materials. *Adv Mater.* 2020; 32(44):2002879.
25. Huang C, Han L, Liu X, Yang Z. Proximate Analysis of Straw by Near-Infrared Spectroscopy (NIRS). *J Spectrosc Spect Anal. J Near Infrared Spectrosc.* 2009; 29(4):960-3.
26. Pasquini C. Near Infrared Spectroscopy: Fundamentals, Practical Aspects, and Analytical Applications. *J Braz Chem Soc.* 2003; 14(2):198–219.
27. Lin H, Ying Y. Theory and Application of Near Infrared Spectroscopy in Assessment of Fruit Quality: A Review. *Sens & Instrumen Food Qual Saf.* 2009; 3(2):130–41.
28. Tsuchikawa S, Kobori H. A Review of Recent Application of Near Infrared Spectroscopy to Wood Science and Technology. *J Wood Sci.* 2015; 61(3):213–20.
29. Herold F, Wiegel P, Scholkmann F, Müller N. Applications of Functional Near-Infrared Spectroscopy (FNIRS) Neuroimaging in Exercise–Cognition Science: A Systematic, Methodology-Focused Review. *J Clin Microbiol.* 2018; 7(12):466.
30. Teye E, Huang X, Afoakwa N. Review on the Potential Use of Near Infrared Spectroscopy (NIRS) For the Measurement of Chemical Residues in Food. *Am J Food Technol.* 2013; 1(1): 1-8.
31. Diehl DM, Bell DS, Bojko B. *Liquid Chromatography: Pharmaceutical Applications.* Elsevier, 2018.
32. Cai L. *Thin Layer Chromatography.* John Wiley & Sons, New York, 2014. pp. 6.3.1-6.3.18.
33. Santiago M, Strobel S. *Thin Layer Chromatography.* Elsevier, 2013.
34. Bele AA, Khale A. An Overview on Thin Layer Chromatography. *Int J Pharm Sci Res.* 2011; 2(2):256-67.
35. Coskun O. Separation Techniques: Chromatography. *North Clin Istanbul.* 2016; 3(2):156-60.

36. Sherma J. Thin-Layer and Paper Chromatography. *Anal Chem.* 1986; 58(5):69–81.
37. Niederwieser A. Recent Advances in Thin-Layer Chromatography. *Chromatographia.* 1969; 2(8):362–75.
38. Thompson RQ, Phinney KW, Sander LC, Welch MJ. Reversed-Phase Liquid Chromatography and Argentation Chromatography of the Minor Capsaicinoids. *Anal Bioanal Chem.* 2005; 381(7):1432–40.
39. Sjursnes BJ, Kvittingen L, Schmid R. Normal and Reversed-Phase Thin Layer Chromatography of Green Leaf Extracts. *J Chem Educ.* 2015; 92(1):193–6.
40. Friedmann HC, Baldwin ET. Reverse-Phase Purification and Silica Gel Thin-Layer Chromatography of Porphyrin Carboxylic Acids. *Anal Biochem.* 1984; 137(2):473–80.
41. Liu X, Hefesha H, Tanaka H, Scriba G, Fahr A. Lipophilicity Measurement of Drugs by Reversed Phase HPLC Over Wide pH Range using an Alkaline-Resistant Silica-Based Stationary Phase, XBridge Shield RP(18). *Chem Pharm Bull.* 2008; 56(10):1417-22.
42. Thammana M. A Review on High Performance Liquid Chromatography (HPLC). *J Pharm Anal.* 2016; 5(2):7.
43. Touchstone JC. History of Chromatography. *J Liq Chromatogr.* 1993; 16(8):1647–65.
44. Raffi F, Butler WR, Cerniglia CE. Differentiation of a rapidly Growing, Scotochromogenic, Polycyclic-Aromatic-Hydrocarbon Metabolizing Strain of Mycobacterium Species from other Known Mycobacterium Species. *Arch Microbiol.* 1992; 157:512-20.
45. Kupiec T. Quality-Control Analytical Methods: High-Performance Liquid Chromatography. *Int J Pharm Compd.* 2004; 8(3):5.
46. Nikolin B, Imamovic B, Medanhodzic-Vuk S, Sober M. High Performance Liquid Chromatography in Pharmaceutical Analyses. *Bosn J Basic Med Sci.* 2004; 4(2):5–9.
47. Swartz M. HPLC Detectors: A Brief Review. *J Liq Chromatogr Relat Techn.* 2010; 33(9–12):1130–50.
48. Yadav V, Bharkatiya M. A Review on HPLC Method Development and Validation. *Res J Life Sci Bioinform Pharm Chem Sci.* 2017; 2(6):166-77.
49. Nahar L, Onder A, Sarker SD. A Review on the Recent Advances in HPLC, UHPLC and UPLC Analyses of Naturally Occurring Cannabinoids. *Phytochem Anal.* 2020; 31(4):413–57.
50. Pravallika S. Gas Chromatography a Mini Review. *Res Rev J Pharm Anal.* 2016; 5(2): 55-62.
51. Gross G, Reid V, Synovec R. Recent Advances in Instrumentation for Gas Chromatography. *Curr Anal Chem.* 2005; 1(2):135–47.
52. Wolfender J-L, Queiroz EF, Hostettmann K. The Importance of Hyphenated Techniques in the discovery of New Lead Compounds from Nature. *Expert Opin Drug Discov.* 2006; 1(3):237–60.
53. Phalke P, Kavade S. Review on Hyphenated Techniques. *Int J Chem Stud.* 2013; 1(3):9.
54. Patel K, Patel J, Patel M, Rajput G, Patel H. Introduction to Hyphenated Techniques and Their Applications in Pharmacy. *Pharm Methods.* 2010; 1(1):2.
55. Thamizhanban D, Rani T, Pravalika P. A Review on Hyphenated Separation Techniques Used in Pharmaceutical Analysis. *J Pharm Bio Sci.* 2016; 11(6):65-74.
56. Sarker SD, Nahar L. Hyphenated techniques. Humana Press, 2006.
57. Michalski R, Szopa S, Jabłońska M, Łyko A. Application of Hyphenated Techniques in Speciation Analysis of Arsenic, Antimony, And Thallium. *Sci World J.* 2012; 902464:1–17.
58. Pasch H. Hyphenated Techniques in Liquid Chromatography of Polymers. Springer, 2000.
59. Lespes G, Gigault J. Hyphenated Analytical Techniques for Multidimensional Characterisation of Submicron Particles: A Review. *Anal Chim Acta.* 2011; 692(1–2):26–41.
60. Sarker SD, Nahar L. Hyphenated Techniques and Their Applications in Natural Products Analysis. *Methods Mol Biol.* 2012; 864:301-40.
61. Zhu MZ, Chen GL, Wu JL, Li N, Liu ZH, Guo MQ. Recent Development in Mass Spectrometry and Its Hyphenated Techniques for the Analysis of Medicinal Plants. *Phytochem Anal.* 2018; 29(4):365–74.